

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.









Soil Conservation Service

Montena Agriculturel Experiment Station

Bozemen, Montene

MONTANA WATER SUPPLY OUTLOOK

Snowpack and Streamflow Forecasts as of June 1, 1985



The Montana Water Supply Outlook is a publication of the U.S. Soil Conservation Service. The SCS administers the Cooperative Snow Survey Program in cooperation with other federal, state and private agencies. organizations, and individuals.

The report is prepared by SCS, Snow Survey and Water Supply Forecast Staff, Room 443, Federal Building, 10 East Babcock, Bozeman, Montana.

Report format to change next year

The format of the 1986 Water Supply Outlook Report is scheduled to change with the January 1 report.

The report will be 8½ X ll inches in size. It will include a statewide summary but most of the data will be contained in ll separate basin reports. These basin reports will include a narrative, reservoir storage, streamflow forecasts and a summary of snow and precipitation measurements. Snow survey and precipitation data for individual sites will not be included in these monthly reports but will be published in a fall summary.

To provide data from individual locations, a preliminary basic data report will be mailed shortly after the first of the month measurements are tabulated to those who request this data. Individuals or agencies with computer capability are encouraged to obtain this data directly from the SCS computer in Portland, Oregon.

Water Supply Outlook reports will be prepared monthly, January 1 through June 1. The May 15th Water Supply Outlook Report will be discontinued.

In the near future, purge cards will be mailed to all recipients of current Water Supply Outlook Reports and each will be able to request the needed reports.

UNITED STATES DEPARTMENT OF AGRICULTURE

SOIL CONSERVATION SERVICE

Federal Bidg., Rm. 443 10 East Beboock Street Bozemen, MT 69716

OFFICIAL BUSINESS
FENALTY FOR PRIVATE USE, \$300

THIRD-CLASS BULK RATE POSTAGE AND FEES PAID USDA - SCS BOZEMAN MT PERMIT NO G-267

National Agricultural Library Current Serial Record U.S. Department of Agriculture Room 002 Beltsville, MD 20705



Water supplies dependent on spring precipitation

Snowfall during the last half of May was almost nonexistent. A few inches accumulated at higher elevations over Memorial Day weekend. Melt rates were well above average and precipitation was well below average up until the Memorial Day weekend storm.

Currently, most locations show no snow. A few heavier snowpack areas report much below average water equivalents for this time of year.

Snowmelt is 2 to 4 weeks earlier than normal this season. Most streams across the state seem to have reached their snowmelt peak between May 24 and May 28. Usually, streams with higher elevation headwaters peak around mid- to late June.

Most of the state received some moisture in late May, temporarily relieving very dry conditions. With the early loss of the below average snowpack, runoff will be very dependent on precipitation in June and the following months. If June precipitation follows the below average trend of previous months, serious water shortages will develop by late June and into July and August. Average or above average precipitation spaced throughout the summer will help alleviate some shortages. However, it appears that even with near average moisture in June, areas in southwest and throughout central Montana will still experience some shortages. If June precipitation is below average, all of the state will have shortages with severe problems in the southwest and central areas.

Snowfall pH measurements to be published soon

We have just completed the fifth year of measuring the pH of surface snow at snow courses. A summary of all measurements obtained during the last five years will be published in the near future. If you would like to receive a copy of this summary, please send your request to:

> USDA-SCS-SNOW SURVEYS FEDERAL BUILDING-ROOM 443 10 EAST BABCOCK BOZEMAN, MONTANA 59715

SNOW SURVEY DATA

DATANA BADGER PASS BUTYL BANFIELD HOUNTAIN BANFIELD HIN BUTYL BARKER LAMES BUTYL BASEN CHEES HETAL FEAGLE SPGS HETAL BEAR PAN 3MI AREA BIG CREES BLACK BEAR BUTYL	5600 5609 8256 7189	6/01/85 6/01/85 6/01/85 6/01/85 5/01/85		11.1	13.8	
BADGER PASS BUTYL BANFIELD HOUNTAIN BANFIELD HIN BUTYL BARKER LAMES BUTYL BASTN CREEN METAL FEAGLE SPGS HETAL BEAR PAN SYI AREA BIG CREEN	5600 5600 8254 7169	6/01/85 6/01/85 6/01/95	- 6			25.0
BANFIELD HOUNTAIN BANFIELD MIN BUTTL BARKEF LAMES BUTTL BASTN CHEEK METAL FEAGLE SPGS METAL BEAR PAN SYI AREA BIG CFEEK	5600 5600 8254 7169	6/01/85 6/01/85 6/01/95	- 6			
BANFTELD MTN BUTYL BARKER LAMES BUTYL BASEN CREEK METAL FEAGLE SPGS METAL BEAR PAN SYI AREA BTG CREEK	\$600 8256 7160	6/01/85 6/01/95			.0	5.4
BAPKER LAMES BUTYL BASEN CHEEF METAL FEAGLE SPGS HETAL BEAR PAN SYI AREA BTG CREEF	8256 7189	6/01/95		. 0	1.0	3.4
EASTN CREEF METAL FEAGLE SPOR METAL BEAR PAN BYI AREA PTG CREEF	7189			1.6	10.0	11.7
FEAGLE SPGE METAL BEAR PAN BYT AREA PTG SFEE!				.6	17.8	5.0
BEAR PAN BYI AREA PIG CREE!	2010	8-01/85		. 0	1.0	1.1
PTG CFEE!	5299	5/29/35	ō.	. 6	.7	
	6150	6/01/95	43	14.8	31.0	44,5
	-355	2/11/95		11.0	25.7	25.3
ELAST TINE	*100	5 99 20	-	+ 1	1/1	4,3
CLASH PING ENTRE	7169	4 / 1 85		- 2	19	1.0
FLOODY LECT LUTT.	*556	6 61/75		. (-	.1.	1.4
FOULDER HIM FITTE	7950	2/01 35		.0	11.7	15.5
HO) CAMYON METAL	1700	5.01/85		. 5	. 9	1 P
RESOURCE FOUL	7150	2 10/32			11.0	21,0
FRIOGER BONL BUTTL		5/19/85		14	11.4	17,5
CALVERT CREEK BUTT		5/01/85		.0	.0	. 0
CAPPOT FASIN BUTHL		6/01/85		7.6	25.1	27,9
CASHE CHEEK METAL		2/01/95		, 6	1.8	1.9
CHICKEN CREEK	4060	5/30/85	- 0	. 0	.0	. 0
CLOVER MEADON METAL		6/01/85		.0	15.3	12.2
EOLE CREE!	7850	5/30/85	6	. (-		21.1
COLE CREEK BUTYL	7850	6/01/85		.0	16.7	13.8
NOITANISHOO	5600	5/30/85	0	.0	.0	.5
COMEINATION BUTYL	5600	5/01/85		. 0	.0	.0
COPPER BOTTOM BUTYL		6/01/85		.6	.0	. 0
COFFER CAME SUTTL		6/01/85		.0	7.0	17+1
CHYSTAL LAKE HETAL		6/01/85		. 0	.0	1.5
DALY CREEM HETAL	5780	6/01/85		.0	.0	.0
OARIMORSE LI. HETAL		6/01/85		8.8	23.5	27.8
DEADHAN CREEK	6450	5/30/85	0	.0	.0	.5
DEADNAM CREEK BUTYL		6/01/85		. 0	. 0	. 8
DIVIOE BUTTL	7800	6/01/85		. 0	3.4	2.1
OUPUYER CREEK BUTYL		6/01/95		. (-	. 0	
EHERY CREEK	4350	6/01/85	0	.0	. 0	.3
EMERY CREEK BUTYL	4350	6/01/85		. 0	. 0	. 0
FATTY CREEK	5500	6/03/85	4	1.8	. 0	8.7
FISHER CREEK BUTYL	9100	6/01/25		17.0	28.9	34.6
FLATTOF MIN BUTYL	6300	6/01/85		30.0	31.2	41.6
FOURTH OF JULY	3450	5/31/85	0	, (1	.0	.0
FRIDAY HILL		5/31/85	0	.6	.0	. (1
FROMNER HOUS BUTTL	8480	6/01/85		.0	.0	1.0
GARVER CREEK		6/01/85	0	. 0	. 0	.0
GARVER CREEK BUTYL	4250	6/01/85		.0	+1)	.0
CIBBONS FASS	7100	5/30/85	3	.5	13.6	10.2
GRAVE CREEK	4300	6/01/85	0	.0	.0	1.8
GRAVE CRIS BUTYL	4300	6/01/85		.0	.0	.0
HANO CREEK BUTYL	5030	6/01/85		.0	.0	.0
HAMMINS LAKE	6450	6/01/85	7	4.0	23.6	21.5
HAMKINS LAKE BUTYL	6450	6/01/85		5.8	22.8	22.5
HEART LANE TRAIL	4800	5/19/25	0	.0	.0	3.1
HERRIG JUNCTION	4850	5/30/85	0	.0	.6	2.6
HOOODO BASID	6050	5/29/85	46	26.0	35.8	36.3
HODDOD BASIN BUTTL	3050	8/01/85		13.8	31.0	29.1
SHOW COURSE	ELEVATION	DATE	SNOW	MATER CONTENT	LAST YEAR	AVERAGE 1961-80

6/01/85 ---

6/01/85 ---6/01/85 ---

5/29/85 0

6/01/85 ---

6/01/85 ---

5/31/85 13

6/01/85 ---

6/01/85 ---

5/31/85

5/28/85

6/01/85

6/01/85

c/01/85

9 01/95

9100

4080

5/31/85

6/01/85

21.3

17.1

7400 8100

SNON CONESE	ELEVATION	37AC	0Ebin ÷40n	HATER CONTENT	LAST YEAF	AUERAGE 1961-8(
TWELVENILE BUTYL	5600	6/01/95	•	.0	,6	-
THIN LAKES BUTTL	6400	4/01/85		13.7	28.2	28.9
WALDRON EUTYL	5600	6/01/25		.0	.0	.1
MARM SPRINGS	7800	\$/31/85	ž.	1.2		13.2
WARH SPEINGS BUTYL	7800	6/01/85		6.6	21.0	24.3
MEASEL DIVIDE	5450	6/01/85	18	11.0	13.é	19.7
VEST YELLOWSTONE	6700	5/31/85	6	. 0		
WEST YELL'ST BUTYL	67.00	5/31/85		.0	.0	.0
WHISHEY CREEK BUTYL	6800	6/01/85		.0	, Q	1.5
WHITE HILL BUTYL	8700	6/01/85		11.3	20.3	19.8
POOD EREER HETAL	5960	6/01/85		. 0	. (-	.0

Unpublished data and corrections to

<u>r</u>	revious	ly publi	shed	data		
OECEMBER						
Emery Creek	4350	11/30/85	33	8.1		
JANUARY						
Banfleld Mountain Oesert Mountain Emery Creek Garver Creek Grave Creek Hawkins Lake Many Glacler Nolsy Basin Pike Creek Poorman Creek Rocky Boy Stahl Peak Wease! Olvide	5600 5600 4350 4250 4300 6450 4900 6040 5930 5100 4700 6030 5450	1/09/85 1/10/85 1/10/85 1/02/85 1/02/85 1/02/85 1/10/85 12/26/84 1/09/85 1/02/85	47 38 44 27 43 65 57 88 64 86 15 83 76	14.7 11.0 12.8 7.8 12.6 21.5 15.4 30.9 16.8 28.4 27.5	5.2 4.6 4.8 3.8 5.2 8.9 4.9 18.0 6.6 10.8 1.5	11.1 6.9 6.3 5.6 7.7 15.5 9.8 17.8 15.7 1.9 19.7
M10-JANUARY						
Meart Lake Trall Moodoo Basin Moodoo Creek	4800 6050 5900		58 103 95	18.8 38.4 35.0	21.2 18.5	
FE8RUARY						
Fourth of July Friday Hill	3450 4620	2/05/85 2/05/85	31 51	8.6 17.2	3.3 7.4	6.9 17.8

12.6

12.3

21.0

15.2

19.5

10.1

17.1 29.2


14.3


	Red Spo	ton Mountain Top tted Bear Mtn, er Holland Lake	5600 5260 7000 6200	2/05/85 2/05/85 2/04/85 2/05/85	72 60 37 66	28.5 23.8 10.3 23.7	15.2 11.4 7.2 19.6	24.7 20.2 11.2 24.4	
	340	u COURSE	ELEVATION	OATE	40M2 KT430	HATER	LAST YEAF	AVERAGE 1961-80	-
	1			·			••••		-
	<u>H10</u>	-FEBRUARY							
		rt Lake Trail	4800	2/15/85		22.3			
		doo Basin doo Creek	6050 5900	2/15/85 2/15/85		48.4 43.0	29.2 27.2		
	1100	doo vicek	,,,,,	2, . 3, - 3			-,		
	MAR	CH							
		Canyon	6700	3/04/85	-	10.5	6.8	10.9	
		inham Lakes ever Meadow	8850 8600	3/01/85 2/23/85		22.0 12.2	25.6 13.2	25.7 14.6	
		per Bottom	5200	3/05/85		13.8	5,4	11.0	
		khorse Lake	8600	2/24/85	59	19.6	17.8	22.6	
		ide	7800	2/23/85		6.0	9.6	9.9	
		ependence dle Mill Creek	7850 7850	3/04/85 3/01/85		16.0	11,1	16.8	
		eral Creek	4000	2/27/85	_	13.0 16.4	14.9 9.8	14.5 17.1	
		ument Peak	8850	3/04/85		17.6	17.3	23.9	
	Not	ch	8500	2/23/85		9.2	15.6	13.6	
		g-A-Melt Lake	8750	2/24/85	60	18.5	17.5	22.3	
		ggler Mine	6960	3/01/85		8.5	9.0	8.9	
	, woo	d Creek	5960	3/08/85	45	11.7	3.0	11.5	
	<u>M10</u>	-MARCH							
	Hoo	doo Basin	6050	3/15/85	112	48.2	37.6		
	Hoo	doo Creek	5900	3/15/85	106	44.2	34.3		
	I APR	IL							
		Creck	6750	4/08/85	101	43.9	42.0	47.2	
	ьід	CIECK	07,50	4,00,0)	101	77.7	42.0	41.2	
	01M	-APRIL							
	Hoo	doo Basin	6050	4/13/85		53.1	43.3		
i	Hoo	doo Creek	5900	4/13/85	101	46.4	38.3		
Ì									
	MAY								
	Por	cuplne	6500	4/29/85	10	4.1	8.4	7.9	
	<u>H10</u>	-MAY							
	Nor	th Fork Jocko	6330	5/17/85	44	24.4	37.4	42.8	


1935-1985


50 Years of **Soil and Water** Conservation

SNOW PILLOW DATA









OCTOBER NOVEMBER DECEMBER JANUARY FEBRUARY MARCH APPIL Copper Camp, Elevation 6.950 feet BLACKFOOT RIVER ORALHAGE

OCTOBER NOVEMBER DECEMBER JANUARY FERWARY MARCH FLATHEAD - MARIAS - TETON RIVER ORALNAGES

H00000 CFEET: MINGS HILL

LICK CREEK LICK CREEK BUTYL

RRAFT CREEN METAL LAKEVIEH ROG. METAL

LUBRECHT FLUME BUTYL 4680

N.FORM ELM CRM BUTYL 6250

LEMHI RIDGE BUTYL

LOWER THIN HETAL

HULE CREEK HETAL

NEVADA CREEK HETAL NEWTON MOUNTAIN HEZ PERCE CAMP NEZ PERCE CHP BUTYL HET PERCE PASS

NORTH FORK JOCKO

PETERSON MEADONS PETERSON HOW BUTYL PICKEOUT ORE HETAL FIRE CREEK BUTYL PLACER BASIN HETAL

EBORHAN CREET FOORHAR CRK BUTYL

RED TOP

ROCKER PEAK

SILVER RUN SILVER FUN BUTYL SHALHAHO SUNHIT SHALFARD SUMMET BIYL SUYLARU TRAIL METAL ELERY SHIELDS BUTYL

SPUR FARE SEUR FARE BUTTL

STABL PEAL

STABL PEAM BUS

TERES ISSUE BUTTL

STRYFER BASIN

SUCKER CHECK

PORCUFINE BUTYL

POCKER PEAK BUTYL

SHOWER FALLS BUTYL

POCHY EDY BUTYL SADDLE MIN BUTYL

N.E. EPTRANCE BUTYL

MANY GLACIER BUTYL HAYNARO CREEK HAYHARD CREEK BUTYL HONUMENT PEAK HETAL HT LOCKHART BUTYL

LUBRECHT FLUME



Over 120%

VALLEY PRECIPITATION MAY 1985

Source: NWS

Great Falls, MT

४०८८ - 08

Under 80%



Mountain snowpacks depleted earlier than normal this year and plants have suffered because of the dry soils.

AGENCIES AND ORGANIZATIONS COOPERATING IN MONTANA SNOW SURVEYS

COVERNMENT AGENCIES

Canada

Department of the Environment Atmospheric Environment Service

Water Management Service British Columbia Ministry of Environment

Inventory and Engineering Branch, Hydrology Section Alberta Environment

Technical Services Division

Federal

Department of the Army - Corps of Engineers

Department of Agriculture forest Service - Soil Conservation Service

Department of Commerce - National Environmental Satellite Service - National Weather Service

Department of Interior

- Bureau of Indian Affairs - Fish and Wildlife Service

- Geological Survey - National Park Service

- Bureau of Reclamation - Bonneville Power Administration

Department of Energy

STATE AGENCIES

Montana Conservation Districts Montana Department of Fish, Wildlife and Parks Montana Department of Natural Resources and Conservation

Montana State University - Agricultural Experiment Station University of Montana - School of Forestry

PRIVATE ORGANIZATIONS

The Anaconda Company Big Sky of Montana

Butte Water Company Flathead Valley Community College

Montana Power Company

Pondera County Canal & Reservoir Company

Other organizations and individuals furnish valuable information for snow survey reports. Their cooperation is gratefully acknowledged.

RESERVOIR STORAGE	(Thousand Ar	ore Feet)	END OF MONTH	May 31	. 1985

DAGON DO COLO		USABLE		ABLE STORA	
BASIN OR STREAM	RESERVOIR	CAPACITY	THIS YEAR	LAST YEAR	AVERAGE
	COLUMBIA				
Kootenai	Koocanusa	5.748.2	3,605.0	3,237.0	0.01/.0
Flathead	Hungry Horse	3,451.0	3,016.0	, –	3,214.0
	Flathead Lake	1,791.0		2,549.0	2,616.0
	Camas (4)	45.2	1,573.0	1,464.0	1,463.0
	Mission Valley (8)	_	26.1	32.2	31.1
Clark Fork	Georgetown Lake	100.3	49.8	81.1	66.5
2021	Lower Willow Creek	31.0	26.5	29.3	26.2
	Nevada Creek	4.9	4.1	5.1	4.3
		12.6	10.1	12.7	11.5
Bitterroot	Noxon Rapids	334.6	326.4	291.1	258.3
Biccerroot	Painted Rocks	31.7		***	30.1
	Сово	34.9	34.2	33.0	27.1
	MISSOURI				
Beaverhead	Lima	84.0	72.8	82.6	64.6
	Clark Canyon	257.2	159.0	250.7	163.7
Ruby	Ruby	38.8	37.7	40.9	37.8
Madison	Hebgen Lake	377.5	357.9	337.3	291.7
	Ennis Lake	41.0	33.5	36.9	35.8
Gallatin	Middle Creek	8.0	7.6	6.1	6.7
Missouri	Canyon Ferry	2,043.0	1,683.0	1,795.0	1,651.0
	Hauser & Helena	61.9	63.0	62.5	60.0
	Helena Valley	9.2	5.2	8.3	7.6
	Lake Helena	10.4	10.9	10.7	9.8
	Holter Lake	81.9	79.6	79.6	77.3
	Fort Peck Lake	18.910.0	15,330.0	16,390.0	15.750.0
Smith	Smith River	10.6	11.0	11.6	10.6
Suiten	Newlan Creek	12.4	9.8	10.7	9.5
Musselshell	Bair	7.0	2.2	4.9	6.6
Aussersherr	Martinsdale	23.1	7.6	23.3	17.2
	Deadman's Basin	72.2	37.0	64.8	57.2
C	Gibson	99.1	85.5	96.2	90.1
Sun	Willow Creek	32.2	22.9	30.1	28.2
	Pishkun	32.0	31.7	28.5	31.7
	Lower Two Medicine	11.9	21.7	20.5	12.5
Marias	Four Horns	19.2			13.1
	Swift	30.0	17.2	23.6	24.9
	Lake Frances	111.9	28.6	46.3	88.3
		1,347.0	818.4	735.0	648.4
	Elwell (Tiber)	3.5	1.0	3.1	3.0
Milk	Beaver Creek	127.2	29.4	14.8	96.7
	Fresno	66.8	18.2	20.2	44.1
	Nelson	1,0.0	10.2	20.2	44.1
	HUDSON BA				
St. Mary's	Lake Sherburne	64.3	24.8	14.5	31.9
	YELLOWSTON	Ε			
Stillwater	Mystic Lake	21.0	3.9	2.7	5.6
Clark's Fork	Cooney	27.4	19.9	22.3	18.8
Tongue	Tongue River	68.0	45.2	43.2	48.8
Bighorn	Bighorn Lake	1,356.0	891.6	946.1	702.7
DIBUOLI	0	,			